SYCAMORE CANYON BOULEVARD IMPROVEMENT PLAN

COMMUNITY FACILITIES DISTRICT NO. 92-1 (SYCAMORE CANYON)

CITY OF RIVERSIDE

STATE OF CALIFORNIA

PREPARED BY

ALBERT A. WEBB ASSOCIATES

3788 McCRAY STREET

STORM DRAIN PLAN B

PEPSI SEE SHEET 3 PAR 3 PM 18/70 R.S. 53/22 SEE SHEET 2 FOR GRADING SEE SHEET 4 FUTURE SYCAMORE CANYON WILDERNESS PARK PAR 4 PM 18/70 **INDEX MAP**

SCALE: 1"=200'

CONSULTING ENGINEERS

RIVERSIDE, CALIFORNIA 92506 (909) 686-1070

BIDESCHEDULE IV

BOX SPRINGS BLVD.

ALESSANDRO BOULEVARD



GENERAL NOTES

- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT-OF-WAY IN ACCORDANCE WITH THE SPECIAL PROVISIONS OF LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND AT NO COST TO THE CITY.
- CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE DEPARTMENT OF PUBLIC WORKS, STANDARD DRAWINGS, AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, CURRENT EDITION AND THE SPECIAL PROVISIONS FOR SYCAMORE CANYON COMMUNITY FACILITIES DISTRICT NO. 92-1.
- THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR ASSURING THE ACCURACY AND ACCEPTABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING OR RE-ESTABLISHING AND REFERENCING SURVEY MONUMENTS DESTROYED, DISTURBED OR BURIED AS A RESULT OF CONSTRUCTION SHOWN HEREON.
- ALL FLAGGED ELEVATIONS IN THE PLAN VIEW SHALL BE STAKED IN THE FIELD
- ANY TRAFFIC CONTROL STRIPING OBLITERATED AND/OR BADLY WORN DURING CONSTRUCTION SHALL BE RESTORED BY THE CONTRACTOR WITHIN FIVE DAYS AFTER NOTIFICATION FROM THE CITY INSPECTORS.
- THE CONTRACTOR SHALL CALL IN A LOCATION REQUEST TO UNDERGROUND SERVICE ALERT (USA), PHONE # 1-800-227-2600, TWO WORKING DAYS BEFORE DIGGING. NO CONSTRUCTION PERMIT WILL BE ISSUED BY THE PUBLIC WORKS DEPARTMENT INVOLVING EXCAVATION FOR UNDERGROUND FACILITIES UNLESS THE APPLICANT HAS BEEN PROVIDED AN INQUIRY IDENTIFICATION NUMBER BY U.S.A.
- CONTRACTOR IS TO VERIFY EXISTING GAS, SEWER AND WATER ELEVATIONS IN SYCAMORE CANYON BLVD. PRIOR TO CONSTRUCTION.
- BEFORE THE RIP RAP AT THE OUTLET OF ANY DRAINAGE STRUCTURE IS ACCEPTED, IT SHALL BE TESTED UNDER FLOWS AS CLOSE AS POSSIBLE TO DESIGN CONDITIONS WITH WATER OBTAINED FROM FIRE HYDRANTS IN THE IMMEDIATE AREA.
- 10 PIPE BEDDING TO BE CASE II PER CITY OF RIVERSIDE STD. NO. 452.
- 11 NO PERSON SHALL PERFORM ANY CONSTRUCTION ACTIVITY OR INSTALL ANY OBJECTS WITHIN THE PUBLIC RIGHTS-OF-WAY OR EASEMENTS OF THE CITY OF RIVERSIDE WITHOUT A VALID CONSTRUCTION PERMIT OR, A STREET OPENING PERMIT OR AN ENCROACHMENT PERMIT ISSSUED BY THE CITY'S PUBLIC WORKS DEPARTMENT.

NOTICE TO CONTRACTOR

THE FOLLOWING ORGANIZATIONS ARE WITHIN THE PROJECT AREA:

CITY OF RIVERSIDE, PUBLIC WORKS CITY OF RIVERSIDE, ELEC.DEPT. WESTERN MUNICIPAL WATER DIST. SOUTHERN CALIFORNIA GAS CO. GENERAL TEL. CO. PACIFIC BELL TEL. CO.

THE EXISTENCE AND LOCATIONS OF ALL UNDERGROUND UTILITIES (UTILITY PIPES. STRUCTURES, ETC.) SHOWN ON THESE PLANS (MAIN LINES ONLY - NO SERVICE LATERALS) WERE ASCERTAINED BY A REVIEW OF RECORDS AND ARE APPROXIMATE. NEITHER THE CITY NOR THE ENGINEER ASSUMES ANY RESPONSIBILITY FOR UTILITIES NOT SHOWN OR NOT IN THE LOCATION SHOWN.

THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO PROTECT ALL UTILITIES SHOWN ON THESE PLANS AND/OR ANY OTHER UNDERGROUND UTILITIES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.

SHEET INDEX

STORM DRAIN IMPROVEMENTS

SHEET 1 ---- TITLE SHEET SHEET 2 ----- EASEMENT STA. 0+00 TO 11+00 SHEET 3 ----- SYCAMORE CANYON STA. 11+00 TO 19+32.44 SHEET 4 ----- STORM DRAIN GRADING DETAIL SHEET SHEET 5 ---- DETAIL SHEET

BENCH MARK:

U.S.C.& G.C. DESIGNATION Z 749, RIVERSIDE COUNTY DESIGNATION 600-47-68, STANDARD BRASS DISK STAMPED Z 749 1945 ESTABLISHED BY C.& G.S. 1.7 MILES NORTHWEST ALONG THE ATCHISON, TOPEKA AND SANTA FE RAILWAY FROM THE STATION AT MARCH FIELD, SET BETWEEN THE TRACK AND U.S. HIGHWAY NO. I 215 64.5 FEET SOUTHWEST OF THE SOUTHWEST EDGE OF THE HIGHWAY, 43.6 FEET NORTHEAST OF THE NORTHEAST RAIL OF TRACK, 20 FEET SOUTHEAST OF POST, IRON BENCH MARK DISK SET IN TOP OF A CONCRETE POST 0.4 FEET ABOVE GROUND.

DATE 1970 ELEVATION: 1536.119



CONSTRUCTION NOTES:

CONST. 48" R.C.P. D1300 & D3000

CONST. 36" R.C.P. D1300 & D1750

1.00' CRUSHED AGGREGATE BASE

REMOVE AND REPLACE A.C. PAV. W/O .41' AC OVER

CONST. MANHOLE JM PER CITY OF RIVERSIDE STD. 432

CONST. TIMBER BULKHEAD PER CITY STD. 456

CONST. CONCRETED 1/4 TON ROCK (1 LAYER)

AT LEAST 2 WORKING DAYS PRIOR TO CMP REMOVAL

RELOCATE CITY OF RIVERSIDE STD. 180 BARRICADE

FILL EXIST. SWALE AND GRADE TO DRAIN.

CONST. DEBRIS RACK PER DETAIL ON SHEET 4

CONST. SECURITY GATE PER DETAIL ON SHEET 5.

STD: 422 (MODIFIED) W/OUT LATERAL

CONST. THICK WALL 60" R.C.P. D1400

CONST. THICK WALL 54" R.C.P. D1400

CONST. 60" R.C.P. D1400

CONST. MANHOLE AX PER CITY OF RIVERSIDE STD. 430

CONST. TRANSITION STRUCTURE "C" PER CITY OF RIVERSIDE

CONST. CONCRETE COLLAR PER CITY OF RIVERSIDE STD. 424

CONST. C.S.P. INLET PER CITY OF RIVERSIDE STD. 412

REMOVE EXIST. CONCRETE ROCK & BACKFILL

PER CITY OF RIVERSIDE STD. 453

CONST. C.S.P. INLET PER CITY OF RIVERSIDE STD. 412 MODIFY

CONST. JUNCTION STRUCTURE "C" PER CITY OF RIVERSIDE STD. 422

REMOVE 2 EXIST. 18" CMP & BACKFILL PER CITY OF RIVERSIDE STD. 453.

CONTRACTOR TO CONTACT W.M.W.D. INSPECTOR AT (909)780-9764

CONST. CONCRETED 1/2 TON ROCK (2 LAYERS)


CONST. 54" R.C.P. D1400


PER DETAIL SHEET 4


CONST. 24" R.C.P. D1750


CONST. 24" R.C.P. D1300

		CITY BUSINESS TAX CERTIFICATE NO. 005751 EXP. 12-31-97			<u> </u>	
REVIEWED BY: SOUTHERN CALIFORNIA GAS CO	REVIEWED BY: WESTERN MUNICIPAL WATER DISTRICT	ALBERT A. WEBB ASSOCIATES CLVIL ENGINEERS		CITY OF RIVERSIDE, CALIFORNIA PUBLIC WORKS DEPARTMENT	STORM DRAIN PLAN & PROFILE	ACCOUNT NO. DRAWING NUMBER
	FOR NON-INTERFERENCE COMPLIANCE SHEET 1 THROUGH 5	3788 McCRAY STREET RIVERSIDE, CA 92506 (909) 6867 1070 APPROVED BY CONTROL DATE 1-7-99		APPROVED BY PRINCIPAL ENGINEER TRAFFIO-DIVISION- STREET SERVICES BY DATE APPROVED BY APPROVED BY APPROVED BY APPROVED BY APPROVED BY DIRECTOR OF PUBLIC WORKS	SYCAMORE CANYON BUSINESS PARK COMMUNITY FACILITIES DISTRICT NO. 92-1 TITLE SHEET	D-657
DATE:	JEFFREY 10. SIMS R.C.E. NO. 46212 DATE: 4/29/99	R.C.E. NO. 44762	MARK REVISIONS APPR. DATE DESIGNED BY: CHECKED BY: PLN CHK REF \2 97	ENGINEERING MANAGER 778 VIST	SCALE: AS SHOWN	SHEET OF 90-3000 B4
					. //	NOEXED 1-15-99 1-11










2" X 2" X 1/4" STEEL TUBING

NOT TO SCALE



DETAIL U-BAR

NOT TO SCALE

NOTE: ALL MATERIAL TO BE GALVANIZED AFTER FABRICATION

2"X2" STEEL TUBE 6" MAX. 1 3/8" #11 U-BAR HOT BENT & THREADED 1 3/8" U-BAR HOT BENT & _1 3/8" NUT W/ 3"X3"X1/2" PLATE THREADED 4 4 4 1 1/2"X1/2" BAR W/ FULL WELD 2"X2" STEEL TUBE 1 1/2" X 1/<u>2"</u> CONC. PIPE BOLT & SLEEVE -1/4" DIA. BOLT W/3/4"X5 3/4"
SLEEVE. DRILL & EPOXY SET
SLEEVE BOLT TO EMBED INTO
CONCRETE (2/3 "T") OR AS
APPROVED BY ENGINEER. _3/16" FILLET BOTH SIDES __1 1/2"X1/2" BAR

SECURITY GATE DETAIL

PROFESSI ON A HI LOEBRI EN SON SON SON CA4762 EXP. 3-31-02 CIVIL OF CALL FORM

BENCH MARK

UNDERGROUND SERVICE ALERT

CALL: TOLL FREE

1 800

U.S.C.& G.C. DESIGNATION Z 749, RIVERSIDE COUNTY
DESIGNATION 600-47-68, STANDARD BRASS DISK STAMPED Z 749 1945
ESTABLISHED BY C.& G,S. 1.7 MILES NORTHWEST ALONG THE ATCHISON,
TOPEKA AND SANTA FE RAILWAY FROM THE STATION AT MARCH FIELD, SET
BETWEEN THE TRACK AND U.S. HIGHWAY NO. I 215 64.5 FEET
SOUTHWEST OF THE SOUTHWEST EDGE OF THE HIGHWAY, 43.6 FEET
NORTHEAST OF THE NORTHEAST RAIL OF TRACK, 20 FEET SOUTHEAST
OF POST, IRON BENCH MARK DISK SET IN TOP OF A CONCRETE POST
0.4 FEET ABOVE GROUND.

DATE 1970 ELEVATION: 1536.119



ALBERT A. WEBB ASSOCIATES

CIVIL ENGINEERS

3788 McCray Street Riverside, CA 92506

APPROVED BY DATE 1070

APPROVE

ACCOUNT NO.

DRAWING NUMBER

SHEET **5** OF **5**

90-3000 B4

SECTION "A-A"

NOT TO SCALE